SAFETY DATA SHEET



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Oasis Pro 61 Premium

Version: 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Oasis Pro 61 Premium

Product code : 113136E

Product use : Sanitary cleaner

Product is for professional use only

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Sanitary cleaner. Spray and wipe manual process

Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Manufacturer/ Distributor/ : Ecolab Ltd.

Importer David Murray John Building

UK-SN1 1NH Swindon, Wiltshire

England

Tel +44 (0)1793 511221 Fax +44 (0)1793 618552 CCS@ecolab.com

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number: 0870 600 6266 (This service is only available to health professionals)

Manufacturer/ Distributor/ Importer

Telephone number : 01793 511221

Food & Beverage, Institutional, Agri - 01793 548888

Healthcare Leeds - 0113 2322480 Healthcare Swansea - 01252 717616

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Directive 1999/45/EC [DPD]

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : C; R35

The classification of this product is based only on its extreme pH value (in

accordance with current European legislation)

Human health hazards : Causes severe burns.

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard symbol or symbols



Indication of danger : Corrosive

Date of issue/Date of revision : 19 October 2011 1/12

Oasis Pro 61 Premium

SECTION 2: Hazards identification

Contains : L-(+)-lactic acid

Risk phrases : R35- Causes severe burns.

Safety phrases : S2- Keep out of the reach of children.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately

(show the label where possible).

2.3 Other hazards

Other hazards which do not result in classification

: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

			<u>Classification</u>		
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
L-(+)-lactic acid	EC: 200-018-0 CAS: 50-21-5	25-35	Xi; R41, R38	Skin Irrit. 2, H315 Eye Dam. 1, H318	[1]
Citric acid	EC: 201-069-1 CAS: 5949-29-1	20-25	Xi; R36	Eye Irrit. 2, H319	[1]
Fattyalcohol ethoxylates > 5EO	-	10-20	Xn; R22 Xi; R41	Acute Tox. 4, H302 Eye Dam. 1, H318	[1]
Alcohol ethoxylate	CAS: 68951-67-7	5-7	Xn; R22 Xi; R41 N; R50	Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Acute 1, H400	[1]
			See section 16 for the full text of the R- phrases declared above	See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

<u>Type</u>

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact

: Get medical attention immediately. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 15 minutes. Chemical burns must be treated promptly by a physician.

SECTION 4: First aid measures

Inhalation : Get medical attention immediately. Remove victim to fresh air and keep at rest in a

position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery

position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact: Get medical attention immediately. Flush contaminated skin with plenty of water.

Remove contaminated clothing and shoes. Wash contaminated clothing before reusing. Continue to rinse for at least 15 minutes. Chemical burns must be treated

promptly by a physician. Clean shoes thoroughly before reuse.

Ingestion: Get medical attention immediately. Wash out mouth with water. Remove dentures if

any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such

as a collar, tie, belt or waistband.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training. If it

is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing

thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact: Severely corrosive to the eyes. Causes severe burns.

Inhalation : May give off gas, vapor or dust that is very irritating or corrosive to the respiratory

system.

Skin contact : Severely corrosive to the skin. Causes severe burns. **Ingestion** : May cause burns to mouth, throat and stomach.

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:

pain watering redness

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Ingestion: Adverse symptoms may include the following:

stomach pains

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments: No specific treatment.

Date of issue/Date of revision : 19 October 2011 3/12

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

: In case of fire, use water spray (fog), foam, dry chemical or CO₂.

Unsuitable extinguishing

media

: None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous combustion

products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide

5.3 Advice for firefighters

Special precautions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

Special protective equipment for fire-fighters : Fire-fighters should wear proper protective equipment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is

inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for

additional information on hygiene measures.

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Small spill:

: Dilute with plenty of water. Absorb with an inert material and place in an appropriate waste disposal container.

Large spill

: Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). The spilled material may be neutralized with

sodium carbonate, sodium bicarbonate or sodium hydroxide.

6.4 Reference to other

sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from alkalis. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

: Store between the following temperatures: -5 to 40°C (23 to 104°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Separate from alkalis. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations Industrial sector specific

Not applicable.Not applicable.

solutions

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
No exposure limit value known.	

Derived effect levels

No DNELs available.

Predicted effect concentrations

No PNECs available.

8.2 Exposure controls

Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures

Date of issue/Date of revision : 19 October 2011 5/12

SECTION 8: Exposure controls/personal protection

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before

eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and

safety showers are close to the workstation location.

Eye/face protection

(EN 166)

: Goggles, face shield, or other full-face protection.

Skin protection

Hand protection

(EN 374)

: 1 - 4 hours : butyl rubber , nitrile rubber .

Body protection

(EN 14605)

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist

before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be

selected based on the task being performed and the risks involved and should be

approved by a specialist before handling this product.

Respiratory protection

(EN 143, 14387)

: A respirator is not needed under normal and intended conditions of product use.

Thermal hazards

Environmental exposure

controls

: Not applicable.

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some

cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state : Liquid. [Colour : pink [Dark] Odour : Fragrance-like

Odour threshold : Not applicable and/or not determined for the mixture.

: 0.7 to 1 [Conc. (% w/w): 100%]

Melting point/freezing point

Initial boiling point and boiling

range

: Not applicable and/or not determined for the mixture. : Not applicable and/or not determined for the mixture.

: > 100°C Flash point

Evaporation rate

: Not applicable and/or not determined for the mixture. Flammability (solid, gas) : Not applicable and/or not determined for the mixture.

Burning time : Not applicable and/or not determined for the mixture. **Burning rate** : Not applicable and/or not determined for the mixture.

Upper/lower flammability or

explosive limits

: Not applicable and/or not determined for the mixture.

Vapour pressure : Not applicable and/or not determined for the mixture. Vapour density : Not applicable and/or not determined for the mixture.

Relative density : 1.152 to 1.162

: Easily soluble in the following materials: cold water and hot water. Solubility(ies)

Partition coefficient: n-

octanol/water

: Not applicable and/or not determined for the mixture.

Auto-ignition temperature : Not applicable and/or not determined for the mixture. **Decomposition temperature** : Not applicable and/or not determined for the mixture.

Viscosity : Not applicable and/or not determined for the mixture.

Date of issue/Date of revision: 19 October 2011 6/12

Oasis Pro 61 Premium

SECTION 9: Physical and chemical properties

Explosive properties : Not applicable.

Oxidising properties : None.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : No specific data.

10.5 Incompatible materials : Extremely reactive or incompatible with the following materials: alkalis.

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
L-(+)-lactic acid	LD50 Oral	Rat	3543 mg/kg	-

Conclusion/Summary Irritation/Corrosion

: No known significant effects or critical hazards.

Product/ingredient name	Result	Species	Score	Exposure	Observation
L-(+)-lactic acid	Eyes - Severe irritant	Rabbit	-	750 Micrograms	-
	Skin - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Skin - Severe irritant	Rabbit	-	24 hours 5 milligrams	-
	Skin - Severe irritant	Rabbit	-	88 Percent	-
Citric acid	Eyes - Mild irritant	Rabbit	-	0.5 minutes 5 milligrams	1

Conclusion/Summary

: No known significant effects or critical hazards.

Sensitiser

Conclusion/Summary

: No known significant effects or critical hazards.

Mutagenicity

Conclusion/Summary

: No known significant effects or critical hazards.

Carcinogenicity

Conclusion/Summary

: No known significant effects or critical hazards.

Reproductive toxicity

Conclusion/Summary: No known significant effects or critical hazards.

Teratogenicity

Date of issue/Date of revision : 19 October 2011 7/12

SECTION 11: Toxicological information

Conclusion/Summary: No known significant effects or critical hazards.

Information on the likely

: No known significant effects or critical hazards.

routes of exposure

Potential acute health effects

Inhalation: May give off gas, vapor or dust that is very irritating or corrosive to the respiratory

system.

Ingestion: May cause burns to mouth, throat and stomach.Skin contact: Severely corrosive to the skin. Causes severe burns.Eye contact: Severely corrosive to the eyes. Causes severe burns.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation : No specific data.

Ingestion: Adverse symptoms may include the following:

stomach pains

Skin contact: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Eye contact : Adverse symptoms may include the following:

pain watering redness

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate

effects

: No known significant effects or critical hazards.

Potential delayed effects: No known significant effects or critical hazards.

Long term exposure

Potential immediate

effects

: No known significant effects or critical hazards.

Potential delayed effects: No known significant effects or critical hazards.

Potential chronic health effects

Conclusion/Summary
General
Carcinogenicity
Mutagenicity
No known significant effects or critical hazards.
No known significant effects or critical hazards.
No known significant effects or critical hazards.
Teratogenicity
No known significant effects or critical hazards.
No known significant effects or critical hazards.

Developmental effects
No known significant effects or critical hazards.
Fertility effects
No known significant effects or critical hazards.
Other information
No known significant effects or critical hazards.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Alcohol ethoxylate	Acute EC50 1.5 mg/L	Daphnia	48 hours
	Acute LC50 0.7 mg/L	Fish	96 hours

Conclusion/Summary: No known significant effects or critical hazards.

12.2 Persistence and degradability

Date of issue/Date of revision : 19 October 2011 8/12

SECTION 12: Ecological information

Conclusion/Summary

: The surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Citric acid	-1.72	-	low

12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: Not determined for the mixture.

Mobility : Not determined for the mixture.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable. vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any byproducts should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Hazardous waste : Yes European waste catalogue (EWC)

Waste code	Waste designation		
20 01 14*	acids		

Packaging

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled.

Special precautions

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN/ADNR	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
14.6 Special precautions for user	None.	None.	None.	None.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable. **on the manufacture,**

placing on the market and use of certain dangerous substances, mixtures and articles

Other EU regulations

Ingredient declaration according to detergent regulation 648/2004/EC:

≥15 - <30% non-ionic surfactants

Contains Perfumes: (Hexyl Cinnamal, Limonene, Butylphenyl Methylpropional, Coumarin)

National regulations

United Kingdom (UK)

The Chemicals (Hazard Information and Packaging for Supply) Regulations.

The Control of Substances Hazardous to Health Regulations.

Health and Safety at Work Act.

SECTION 15: Regulatory information

15.2 Chemical Safety **Assessment**

: This product contains substances for which Chemical Safety Assessments are still

required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ADN/ADNR = European Provisions concerning the International Carriage of

Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of

Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/20081

DNEL = Derived No Effect Level

DPD = Dangerous Preparations Directive [1999/45/EC]

EC = European Commission

EUH statement = CLP-specific Hazard statement IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OEL = Occupational Exposure Limit

PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

Regulation (EC) No. 1907/2006]

RID = The Regulations concerning the International Carriage of Dangerous Goods

by Rail

REACH # = REACH Registration Number

vPvB = Very Persistent and Very Bioaccumulative

Full text of abbreviated H

statements

Harmful if swallowed. : H302

H314 Causes severe skin burns and eye damage.

Causes skin irritation. H315

Causes serious eye damage. H318 H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

Full text of classifications

[CLP/GHS]

: Acute Tox. 4, H302 ACUTE TOXICITY: ORAL - Category 4

AQUATIC TOXICITY (ACUTE) - Category 1 Aquatic Acute 1, H400

SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 Eye Dam. 1, H318 Eye Irrit. 2, H319 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2

Skin Corr. 1A, H314 SKIN CORROSION/IRRITATION - Category 1A Skin Irrit. 2, H315 SKIN CORROSION/IRRITATION - Category 2

Full text of abbreviated R

phrases

: R22- Harmful if swallowed.

R35- Causes severe burns.

R41- Risk of serious damage to eyes.

R36- Irritating to eyes. R38- Irritating to skin.

R50- Very toxic to aquatic organisms.

Full text of classifications

[DSD/DPD]

: C - Corrosive Xn - Harmful Xi - Irritant

N - Dangerous for the environment

Date of printing : 10/19/2011.

Date of issue/Date of revision: 19 October 2011 11/12

Oasis Pro 61 Premium

SECTION 16: Other information

Date of issue/ Date of

: 10/19/2011.

revision

Date of previous issue

: No previous validation.

Version : 1

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.